



DTE Code : **EN6315**



NAAC Accredited

AICTE ID : 1-8019451
AISHE Code : C-11165

SANJEEVAN

ENGINEERING & TECHNOLOGY INSTITUTE, PANHALA

Sanjeevan Knowledge City, Somwar Peth-Injole, Panhala, Tal. Panhala, Dist. Kolhapur.
Pin- 416 201 (Maharashtra) Phone : 9146999500

Approved By AICTE, New Delhi Recognized by Govt. of Maharashtra & DTE
Permanent Affiliation by Dr. Babasaheb Ambedkar Technological University, Raigad

7.1.2. The Institution facilities and initiatives.

INDEX

7.1.2.	1. Alternate sources of energy and energy conservation measures	
	I.Solar energy	2-21
	II.Sensor-based energy conservation	
	III.Use of LED bulbs/ power efficient equipment	
	2. Management of the various types of degradable and non-degradable waste	
	I.Liquid waste management	22-39
	II.E-waste management	
	III.Waste recycling system	
	3. Water conservation	
	I. Rain water harvesting	40-46
	II.Bore well /Open well recharge	
	III.Construction of tanks and bunds	
	IV.Waste water recycling	
	4. Green campus initiatives	
	I.Restricted entry of automobiles .	47-57
	II.Use of battery vehicles .	
	III. Ban on use of plastic .	
	IV. Landscaping with trees and plants .	
	5.Disabled-friendly, barrier free environment.	
	I.Built environment with ramp.	58-61
	II.Disabled friendly washrooms	



DTE Code : **EN6315**



॥ विद्यायां विद्या संकीर्तये ॥

NAAC Accredited

AICTE ID : 1-8019451

AISHE Code : C-11165

HOLY-WOOD ACADEMY'S

SANJEEVAN

ENGINEERING & TECHNOLOGY INSTITUTE, PANHALA

Sanjeevan Knowledge City, Somwar Peth-Injole, Panhala, Tal. Panhala, Dist. Kolhapur.

Pin- 416 201 (Maharashtra) Phone : 9146999500

○ Approved By AICTE, New Delhi ○ Recognized by Govt. of Maharashtra & DTE

○ Permanent Affiliation by Dr. Babasaheb Ambedkar Technological University, Raigad

A.Y 2022-23

Use of Solar Energy







6 Oct 2023 1:11:03 pm
Altitude: 792.0m
Speed: 0.0km/h
Index number: 39



6 Oct 2023 2:00:47 pm
Panhala
Altitude: 799.8m
Index number: 45


Use of Wind Energy






6 Oct 2023 12:56:35 pm
Altitude:777.5m
Speed:1.0km/h
Index number: 27

Sensor Based Street Light






6 Oct 2023 12:37:25 pm
Panhala
Altitude:776.0m
Speed:0.0km/h
Index number: 6

Power House






F.22
BASE CAPACITOR

stlc APP117

0999


●●●●●



6 Oct 2023 12:38:04 pm
Panhala
Altitude:770.6m
Speed:0.0km/h
Index number: 9




RYB
POWER SYSTEMS
Rajawade Road, Pune, India
Phone: +91 20 2561 1111
Fax: +91 20 2561 1112
E-mail: ryb@ryb.com
Website: www.ryb.com



6 Oct 2023 12:38:12 pm
Panhala
Altitude: 770.8m
Speed: 0.0km/h
Index number: 10

Comm.



6 Oct 2023 12:37:54 pm

Panhala

Altitude: 771.1m

Speed: 0.0km/h

Index number: 8



Holy-wood Academy, Kolhapur's

SANJEEVAN ENGINEERING AND TECHNOLOGY INSTITUTE

Sanjeevan Knowledge City, Somwar Peth- Injole, Panhala, Tal. Panhala, Dist. Kolhapur

Pin- 416 201. (Maharashtra) Phone : 0231 - 2686600, 21 Fax : 0231 - 2686629


■ Approved By AICTE, New Delhi ■ Recognized by Govt. of Maharashtra & DTE ■ Affiliated to Dr. Babasaheb Ambedkar Technological University, Raigad (DBATU).

Website : www.seti.edu.in Email : principal@seti.edu.in / office@seti.edu.in

EN 6315

3. Use of LED Bulbs

A.Y 2022-23



3.1 Light Load Calculation

- Total light load connected in the institution = 42420 Watt
- LED load connected in the institution = 34270Watt
- Light load other than LED = 8150 Watt
- Percentage of Led lights in the institution out of total light load = $(34270/42120) * 100$
= 80.28%

Mr. D. S. Bhosale

Head of the Department
Electrical Engineering
Sanjeevan Engg. & Tech. Institute
Somwar Peth, Panhala - 416 201

Principal

Dr. S.N.Jain



Holy-wood Academy, Kolhapur's

SANJEEVAN ENGINEERING AND TECHNOLOGY INSTITUTE

Sanjeevan Knowledge City, Somwar Peth- Injole, Panhala, Tal. Panhala, Dist. Kolhapur
Pin- 416 201. (Maharashtra) Phone : 0231 - 2686600, 21 Fax : 0231 - 2686629

▪ Approved By AICTE, New Delhi ▪ Recognized by Govt. of Maharashtra & DTE ▪ Affiliated to Dr. Babasaheb Ambedkar Technological University, Raigad (DBATU).

Website : www.seti.edu.in Email : principal@seti.edu.in / office@seti.edu.in

EN 6315

7.1.2 Alternative Energy initiatives such as:

1. Percentage of annual power requirement of the Institution met by the renewable energy sources

Power Requirement met by Renewable energy sources	Total Power requirement	Renewable energy sources	Renewable energy generated and used	Energy Supplied to the grid
Generated 90000 KWH and Remaining Installation under process	559392KWH	Solar & Wind Hybrid	installed	NIL
		Solar PV panel	Installation Under Process	NIL

7.1.2: Alternative Energy Sources:

A] Present energy generation by renewable energy sources:

I) solar power plant capacity: 70 kW

II) Hybrid (Solar + Wind) power plant capacity: 50 kW

Total Capacity: 70kW + 50kW = 120 kW

Total Energy generation by both plants from 1st Apr 2022 to 31st March 2023 is 90000 KWH

Total Energy requirement from 1st Apr 2022 to 31st March 2023 is KWH

Percentage of energy met by the renewable energy sources as per same year Energy requirement

: $(90000\text{KWH}/559392\text{KWH}) * 100$

=16.08%

B) Proposed energy generation by renewable energy sources

I. Solar power plant proposed capacity: 182 kW

Approximately power generation by same plant is 196560 KWH

Total power will be generated by the whole renewable sources in a year is 326160 kWh


Percentage of energy will be met by the renewable energy sources


$$= (326160 \text{KWH} / 559329 \text{KWH}) * 100$$


$$= 58.31\%$$

SETI Campus Monthly Demands / Units Data

Sr.No.	Month /Period	Max Demand IN KVA	Power Factor	Total No.of Unit
1	Apr-22	156	0.996	38,749
2	May-22	156	0.992	30,616
3	Jun-22	156	0.994	38,508
4	Jul-22	156	0.998	61,325
5	Aug-22	156	0.996	55,957
6	Sep-22	156	0.992	42,201
7	Oct-22	156	0.993	43,564
8	Nov-22	156	0.995	43,284
9	Dec-22	156	0.993	53,421
10	Jan-23	156	0.996	50,340
11	Feb-23	156	0.996	49,726
12	Mar-23	156	0.996	51701
		Average Value in KVA=156	0.995	Annual Unit Consumed During period of APR 2022 To Mar 2023 =559392 units



Maintenance Incharge


PRINCIPAL
Sanjeevan Engg. & Tech. Institute
Somwar Peth, Panhala - 416 201


H.O.D
Head of the Department
Electrical Engineering
Sanjeevan Engg. & Tech. Institute
Somwar Peth, Panhala - 416 201

A.Y 2021-22

LED





Holy-wood Academy, Kolhapur's

SANJEEVAN ENGINEERING AND TECHNOLOGY INSTITUTE

Sanjeevan Knowledge City, Somwar Peth- Injole, Panhala, Tal. Panhala, Dist. Kolhapur

Pin- 416 201. (Maharashtra) Phone : 0231 - 2686600, 21 Fax : 0231 - 2686629

■ Approved By AICTE, New Delhi ■ Recognized by Govt. of Maharashtra & DTE ■ Affiliated to Dr. Babasaheb Ambedkar Technological University, Raigad (DBATU).

Website : www.seti.edu.in Email : principal@seti.edu.in / office@seti.edu.in

EN 6315

Use of LED Bulbs



Mar 15, 2022 3:44:14 PM
Unnamed Road
Panhala
Kolhapur
Maharashtra

Light Load Calculation

- Total light load connected in the institution = **46500 Watt**
- LED load connected in the institution = **32300 Watt**
- Light load other than LED = **14200 Watt**
- Percentage of Led lights in the institution out of total light load = $(32300/46500) * 100$
= **69.46%**



HOD

Mr. P.P Kulkarni

Head Electrical Engineering Dept.)
SANJEEVAN ENGINEERING AND
TECHNOLOGY INSTITUTE, PANHALA
Somwar Peth, Tal. Panhala, Dist. Kolhapur-416 201
MAHARASHTRA INDIA



Principal

Principal Mohan Vanarotti
Sanjeevan Engineering & Technology Institute
Somwar Peth, Panhala,
Dist. Kolhapur. (416 201)



Holy-wood Academy, Kolhapur's

SANJEEVAN ENGINEERING AND TECHNOLOGY INSTITUTE

Sanjeevan Knowledge City, Somwar Peth, Panhala, Tal. Panhala, Dist. Kolhapur - 416 201.

Phone : 02328 - 235241, 235493 Fax : 02328 - 235241 Mobile : 9545451966, 9545453831

Website : www.seti.edu.in Email : principal@seti.edu.in / office@seti.edu.in / setipanhala@gmail.com

■ Approved By AICTE - New Delhi ■ Recognized by Govt. of Maharashtra & DTE ■ Affiliated to Shivaji University, Kolhapur

7.1.2 Alternate Energy initiatives such as:

A.Y 2020-21

1. Percentage of annual power requirement of the Institution met by the renewable energy sources

Power Requirement met by Renewable energy sources	Total Power requirement	Renewable energy sources	Renewable energy generated and used	Energy Supplied to the grid
Generated 50228 KWH and Remaining Installation under process	629708 KWH	Solar PV panel	Installation Under Process	NIL
		Solar & Wind Hybrid	Installed	NIL

7.1.2: Alternative Energy Sources:

A] SETI Max. Load demand = 1.73*415*236

= 170 KVA

(Measured using power meter installed on DG set)

B] SETI Solar PV and wind solar hybrid system capacity share =300 KVA

Average campus Max. Load demand for last 3 years = 146 KVA

Campus Solar PV plant capacity and wind solar hybrid system = 300 KVA

Hence SETI Solar PV and wind solar hybrid system capacity share = (170/146) * 300 = 349 KVA

Percentage of annual power requirement of the institutions met by the renewable energy sources = (349KVA)/(170KVA) *100

205%

We have excess generation due to that in feature we have increased campus load demand for that application given to MSEDCL

Increased campus load = 300KW

Increased campus load = 240KVA

SETI Max. Load demand = 240KVA

Hence SETI Solar PV and wind solar hybrid system capacity share = (240/349) * 300 = 206 KVA

Percentage of annual power requirement of the institutions met by the renewable energy sources = $(206\text{KVA})/(240\text{KVA}) * 100$

86%

7.1.2.1 Annual power requirement met by the renewable energy sources (in KWH)

50228 KWH and remaining solar Plant installation is in process

7.1.2.2 Total annual power requirement (in KWH)

Form table, total units consumed in campus from 1st July 2019 to 30th June 2020 = 579480 KWH

Energy consumed by campus renewable energy sources from 1st July 2019 to 30th June 2020 = 50228 KWH

Hence units consumed from 1st July 2019 to 30th June 2020 by SETI = $(579480 \text{ KWH} + 50228 \text{ KWH}) = 629708 \text{ KWH}$

Campus Max. load demand during above period = 146 KVA

SETI Max. load demand during above period = 164 KVA



A handwritten signature in blue ink, consisting of stylized initials and a surname.

Electricity Consumption

S/r	Month/Period	Max Demand in KVA	Power Factor	Total No. of Unit
1	14-Apr-14	135	1.00	43082
2	14-May-14	94	1.00	29198
3	14-Jun-14	90	1.00	29512
4	14-Jul-14	134	1.00	49250
5	14-Aug-14	157	1.00	52582
6	14-Sep-14	134	1.00	46606
7	14-Oct-14	130	1.00	43698
8	14-Nov-14	118	1.00	46262
9	14-Dec-14	135	1.00	51360
10	14-Jan-15	140	1.00	50160
11	14-Feb-15	129	1.00	49316
12	14-Mar-15	136	1.00	49006
13	14-Apr-15	117	1.00	42614
14	14-May-15	95	1.00	29214
15	14-Jun-15	98	1.00	28304
16	14-Jul-15	141	1.00	51242
17	14-Aug-15	149	1.00	56808
18	14-Sep-15	160	1.00	37828
19	14-Oct-15	148	1.00	56644
20	14-Nov-15	139	1.00	36248
21	14-Dec-15	136	1.00	55564
22	14-Jan-16	142	1.00	51892
23	14-Feb-16	158	1.00	58996
24	14-Mar-16	167	1.00	59530
25	14-Apr-16	125	1.00	43704
26	14-May-16	125	1.00	31264
27	14-Jun-16	131	1.00	38172
28	14-Jul-16	163	1.00	67302
29	14-Aug-16	163	1.00	69342
30	14-Sep-16	159	1.00	50228
31	14-Oct-16	175	1.00	60200
32	14-Nov-16	150	1.00	51820
33	14-Dec-16	152	1.00	64274
34	14-Jan-17	165	1.00	63514
35	14-Feb-17	165	1.00	59924
36	14-Mar-17	159	1.00	62926
37	14-Apr-17	131	1.00	46832
38	14-May-17	131	1.00	30674
39	14-Jun-17	139	1.00	37772
40	14-Jul-17	168	1.00	66292
41	14-Aug-17	170	1.00	58230
42	14-Sep-17	184	1.00	64836
43	14-Oct-17	189	1.00	46796
44	14-Nov-17	151	1.00	58148
45	14-Dec-17	144	1.00	61434
46	14-Jan-18	155	1.00	58778
47	14-Feb-18	142	1.00	53392
48	14-Mar-18	142	1.00	56970
49	14-Anr-18	142	1.00	42336

50	14-May-18	152	1.00	15612
51	14-Jun-18	145	1.00	39195
52	14-Jul-18	146	1.00	69669
53	14-Aug-18	146	1.00	65910
54	14-Sep-18	130	1.00	43947
55	14-Oct-18	136	1.00	66465
56	14-Nov-18	121	0.95	40164
57	14-Dec-18	131	0.98	57858
58	14-Jan-19	134	0.98	51429
59	14-Feb-19	132	0.98	44484
60	14-Mar-19	131	0.98	50190
61	14-Apr-19	106	0.98	40350
62	14-May-19	85	0.97	23238
63	14-Jun-19	114	0.98	33768
64	14-Jul-19	164	0.98	63534
65	14-Aug-19	137	0.98	61145
66	14-Sep-19	138	0.98	42722
67	14-Oct-19	143	0.98	54804
68	14-Nov-19	135	0.98	46067
69	14-Dec-19	131	0.98	59469
70	14-Jan-20	133	0.98	59087
71	14-Feb-20	131	0.98	56772
72	14-Mar-20	118	0.98	38177
73	14-Apr-20	41	0.93	14007
74	14-May-20	132	0.93	35758
75	14-Jun-20	132	0.94	14170
		Average Value =128 KVA july 2019 to june2020	Power Factor= 1	Annual Unit Consumed during period of july 2019 to june2020 =578480


 Head Electrical Engineering Dept.)
 SANJEEVAN ENGINEERING AND
 TECHNOLOGY INSTITUTE, PANHALA
 War Peth, Tal. Panhala, Dist. Kolhapur-416 201
 MAHARASHTRA, INDIA

1) Waste water recycling.

The waste water collected from the campus is taken to farm near the campus where horse feed is cultivated.





6 Oct 2023 12:48:50 pm
Panhala
Altitude: 765.1m
Speed: 0.0km/h
Index number: 23

Photograph – Waste water conveyed to horse feed farm



To

Date: 16/09/2022

The Principal

SETI, Panhala

Sub:- Regarding Scrap Material

Respected sir

As per discussion with Hon Chairman Sir and Hon Principal Sir Desktops from Central Computing Facility and other department have problem related to motherboard, hard disk and Smips. These desktops are non repairable and need to write off from Deadstock register.

So, permit us to write-off these desktops and other material.

Separate list attached herewith.


Thanking You

Forwarded to Sanction
Officer
16/09/22

~~Sanctioned~~
Sanctioned
16/09/22
Shree

Recommended
Sanctioned

~~Sanctioned~~


SYSTEM ANALYST
Sanjeevan Engg. & Tech. Institute
Somwar Peth, Panhala, Dist. Kolhapur (MS)

Holy-wood Academy's
Sanjeevan Engineering and Technology Institute, Panahala
EQUIPMENT LIST

HP-PRO-3090,DELL-360,DELL-380,INSPIRON,HP Z200,HP-3330
 ALL DEPARTMENTS DEAD MACHINES NON REPAIRABLE

Sr. No.	Particulars	Qty.	Rate/Rs.	Remark
Cabinets				
1	Cabinet 360/380	215	80	Dead
2	Cabinet Hp-3090			
3	Cabinet -Z-200			
4	Inspiron			
5	HP-3330			
6	Other Cabinet			
	Total		17280	
Monitors				
1	Dell/HP/Lenovo	140	50	Dead
	Total		7000	
Network Switch				
1	Dlink /Asus/Trendent	11	100	Dead
	Total		1100	
Motheboards				
1	Dell/HP/Asus	128	90	Dead
	Dell/HP	190	130	
	Total	318	36220	
SMPS				
1	HP/DELL	166	70	Dead
	Total	166	11620	
Mouse				
1	HP/DELL	60	5	Dead
	Total	60	300	
HDD				
1	WD/Segate	12	80	Dead
	Total	12	960	
Projectors				
1	Motsubhishi/Epson	5	100	Dead
	Total	5	500	
Printer				
1	HP	3	200	Dead
	Total	3	600	
			75580	

SANJEEVAN ENGINEERING & TECHNOLOGY
 INSTITUTE PANAHALA GATE No. 2
 17/9/2022
 कोठारी
 12.00
 19-09-2022
 MH-95CA5472
 RECEIVED
 30/09/22

Received cash Rs. 75,580/-
 30/09/22

17/9/22
SYSTEM ANALYST
 Sanjeevan Engg. & Tech. Institute
 Somwar Peth, Panhala, Dist. Kolhapur (MS)



HOLY-WOOD ACADEMY'S

SANJEEVAN ENGINEERING & TECHNOLOGY INSTITUTE

Somawarpeth, Panhala.

Receipt No. **1493**

MISCELLANEOUS RECEIPT

Received the amount from


Date: 15/11/2022

Mr. / Miss. Malik Srusap Kolhapur

class _____ Branch: _____

Particulars	Amount (Rs.)
Admission form Fee)
I-Card Fee	
Bonafide / Certificate Fee	
TC / LC Fee	
Library Fee	
Department Breakage	
Consultancy Fee	
Other Fee	
<u>Monitors Srusap.</u>	3100/-
_____	-
Total	Rs. 3100/-

In Word Three thousand one hundred
only



Srusap
Authorized Signatory
A/c. Dept.

To

Date:- 23/11/2022

The Principal

SETI, Panhala

Sub:- .Regarding Dead monitors.

Respected sir

As per discussion with Hon Chairman Sir and Hon Principal Sir Monitors received from all departments have problem related screen and dead condition .These Monitors are non repairable and need to write off from Deadstock register .

So, permit us to write-off these monitors .

Separate list attached herewith .

Thanking You

write off procedure to be
followed as per norms.
ASain
23/11/22

C. B. S.

Holy-wood Academy's
Sanjeevan Engineering and Technology Institute, Panahala



EQUIPMENT LIST

MONITORS

ALL DEPARTMENTS DEAD MACHINES NON REPAIRABLE

Sr. No.	Particulars	Qty.	Remark
	DELL	29	NOT WORKING
1	SETI/COM/10-11/433	1	NOT WORKING
2	SETI/COM/10-11/471	1	NOT WORKING
3	SETI/COM/10-11/460	1	NOT WORKING
4	SETI/COM/10-11/481	1	NOT WORKING
5	SETI/COM/10-11/467	1	NOT WORKING
6	SETI/COM/10-11/415	1	NOT WORKING
7	SETI/COM/10-11/464	1	NOT WORKING
8	SETI/COM/10-11/451	1	NOT WORKING
9	SETI/COM/10-11/465	1	NOT WORKING
10	SETI/COM/10-11/480	1	NOT WORKING
11	SETI/COM/10-11/485	1	NOT WORKING
12	SETI/COM/10-11/419	1	NOT WORKING
13	SETI/COM/10-11/466	1	NOT WORKING
14	SETI/COM/10-11/452	1	NOT WORKING
15	SETI/COM/09-10/08	1	NOT WORKING
16	SETI/COM/09-10/57	1	NOT WORKING
17	SETI/COM/09-10/73	1	NOT WORKING
18	SETI/COM/09-10/44	1	NOT WORKING
19	SETI/COM/09-10/66	1	NOT WORKING
20	SETI/COM/09-10/89	1	NOT WORKING
21	SETI/COM/09-10/NO	1	NOT WORKING
22	SETI/COM/09-10/NO	1	NOT WORKING
	LENOVO		
23	SETI/COM/15-16/110	1	NOT WORKING
24	SETI/COM/15-16/105	1	NOT WORKING
25	SETI/COM/15-16/85	1	NOT WORKING
26	SETI/COM/15-16/174	1	NOT WORKING
27	SETI/COM/15-16/135	1	NOT WORKING
28	SETI/COM/15-16/109	1	NOT WORKING
29	SETI/COM/15-16/NO	1	NOT WORKING
	HP	1	NOT WORKING
30	SETI/CCF/09-10/201	1	NOT WORKING
31	HP NO NUMBER	1	NOT WORKING

Non working monitors / Equip. Sold. 100/- per nos.

Rajkumar

300/- received.

22/11/22

[Signature]

Dead Monitors

① SBTB/COM/15-16/10 — ENOVO

② SBTB/CCF/10-11/415 — DELL

③ — " — 1419 —

④ — " — 16-17/85 — ENOVO

⑤ — " — 16/17/140 — ENOVO

⑥ — " — 16/17/135 —

⑦ — " — 1174 —

⑧ HP. NO. NO —

⑨ — " — 16/17/109 — ENOVO —

⑩ SBTB/CCF/940/73 —

⑪ 1041/480 —

⑫ — " — 493 —

⑬ — " — 485 —

⑭ — " — 466 —

⑮ — " — 471 —

⑯ — " — 460 —

⑰ — " — 481 —

⑱ — " — 467 —

⑲ — " — 451 —

⑳ — " — 464 —

㉑ ENOVO. NO. NO —

㉒ DELL — NO. NO

㉓ DELL — NO. NO

- 25) 11 / 166
- 26) SDRP/CP/9-10/39
- 27) SDRP/CP/9-10/144
- 28) 166
- 29) SDRP/CP/10-11/201
- 30) SDRP/CP/10-11/452
- 31) HP - NB - ND
- 32) - 12-11 - NB - ND

CP Ref. SI NOS

22/11/22
 Kalhapuri
 11/20 AM 22/11/22
 H



Holy-wood Academy, Kolhapur's

SANJEEVAN ENGINEERING AND TECHNOLOGY INSTITUTE

Sanjeevan Knowledge City, Somwar Peth- Injole, Panhala, Tal. Panhala, Dist. Kolhapur- 416 201
Phone : 0231 - 2686623 / 24 / 28 Fax : 02328 - 235241 Mobile : 9545451966, 9545453831

■ Approved By AICTE - New Delhi ■ Recognized by Govt. of Maharashtra & DTE ■ Affiliated to Shivaji University, Kolhapur

Website : www.seti.edu.in Email : principal@seti.edu.in / office@seti.edu.in

EN 6315

दिनांक : 03/08/2022

मा .सहसचिव सो,
यांना सादर



आपल्या महाविद्यालयातील विविध विभागाकडे असणारी स्कॅप रद्दी आपल्या पुर्व परवानगीने श्री .संजय मेनसागरे यांना पुढील प्रमाणे देत आहोत .

Sr. No	Material	Qty	Rate	Total
1	मिक्स रद्दी	1756kg	21.00	36876.00
			Total	36876.00

तरी वरीलप्रमाणे स्कॅप रद्दी देणेसाठी मंजूरी मिळावी हि विनंती .

forwarded
for sanction
2/8/2022
3/8/2022



[Handwritten Signature]

[Handwritten Signature]
स्टोअर विभाग


PRINCIPAL

Sanjeevan Engg. & Tech. Institute
Somwar Peth, Panhala - 416 201

①	②	③	④
221500-	33) 161900	65) 141900-	92) 281000-
171300-	34) 251700.	66) 151300-	93) 231300-
221200-	35) 211300.	67) 111300-	100) 171300-
211500-	36) 181000	68) 201200-	<u>661600-</u>
181700-	37) 271500	69) 211600-	
241800.-	38) 171300.	70) 171500-	
191300-	39) 81200.	71) 151500-	
141400-	40) 211000	72) 111300-	
171000-	41) 151500	73) 81700-	
181200-	42) 281000	74) 161300-	
221300-	43) 201300	75) 121000-	
191600-	44) 191200	76) 131300-	
171300-	45) 131700	77) 131500-	
221000-	46) 141500	78) 81700-	
181500-	47) 131100.	79) 141000-	
241000-	48) 291400.	80) 161300-	
161000-	49) 251200	81) 171000-	
181000-	50) 111800	82) 141300-	
151300-	51) 121500.	83) 101700-	
151000-	52) 251300	84) 131700-	
141400-	53) 121300	85) 81900.-	1) 5901900
161700-	54) 161700	86) 161900.-	2) 5971900
151700-	55) 181200.	87) 121500.-	3) 5001700
131600-	56) 251300.-	88) 271000-	4) <u>661600</u>
191700-	57) 171200-	89) 171900-	Total -1756110
251400-	58) 161500-	90) 261200-	
141400.-	59) 131400-	91) 171300-	
141900-	60) 151300-	92) 131200-	
161900-	61) 131900-	93) 201200-	
201700.-	62) 141400.-	94) 151000-	
71700	63) 181000-	95) 131200-	
201300-	64) 221700.-	96) 191700-	
<u>5901900</u>	<u>5971900.</u>	<u>5001700</u>	

[Signature]
PRINCIPAL

Sanjeevan Engg. & Tech Institute



seti

Holy-wood Academy, Kolhapur's
SANJEEVAN ENGINEERING AND TECHNOLOGY INSTITUTE
Sanjeevan Knowledge City, Somwar Peth-Injole, Panhala, Tal. Panhala, Dist. Kolhapur
Pin- 416 201 (Maharashtra) Phone 0231 - 2686600, 21 Fax 0231 - 2686629

Website: www.seti.edu.in Email: principal@seti.edu.in / office@seti.edu.in

EN 6315

दिनांक : 17/05/2023


मा . प्राचार्यसाहो,


यांना सादर


आपल्या महाविद्यालयार्ताल विविध विभागाकडे अगणार्ग स्कूप ग्दो आपल्या पुर्व पग्वानगीने श्री . संजय मेनसागरे यांना पुढील प्रमाणे देन आहान .

Sr. No	Material	Qty	Rate	Total
1	मिक्स ग्दो	743kg	18.84	14000.00
			Total	14000.00

तरी वगीलप्रमाणे स्कूप ग्दो देणेमाटी मंजूरी मिळावी हि विनंती .


13/7/23


संजय विभाग







PRINCIPAL
Sanjeevan Engg & Tech. Institute
Somwar Peth, Panhala - 416 201

दि. 17-05-2023.

1)	271575	31)	181344
2)	151220	32)	171278
3)	151138	33)	91525
4)	171310	34)	181199
5)	181412	35)	151000
6)	211316	36)	71328
7)	71231	37)	51272
8)	161000	38)	151198
9)	191472	39)	201435
10)	221360	40)	131345
11)	161180	41)	181278
12)	171290	42)	221146
13)	161321	43)	71233.
14)	151000		1538
15)	261210		188119.
16)	101412		<u>5541881</u>
17)	151321	Total -	743100
18)	231067		
19)	101178		
20)	161312		
21)	221000		
22)	131268		
23)	211168		
24)	261322		
25)	131000		
26)	241078		
27)	291198		
28)	171310		
29)	221212		
30)	211000		
	5541881		

743 kg रद्दी संजय मैनसागरे
माना दिला.



[Signature]

PRINCIPAL

Sanjeevan Engg. & Tech. Institute
Somwar Peth, Panhala - 416 201



Holy-wood Academy's
Sanjeevan Engineering & Technology Institute

Somwarpeth-Injole, Panhala

Receipt No. 1523

MISCELLANEOUS RECEIPT

Date 1/10/2023


Received the amount from

Mr. / Miss. Sanjay Menayone

Branch _____ Class _____

No.	Particulars	Amount (Rs.)
1	Admission Form fee	}
2	I-Card Fee	
3	Bonafide / Certificate Fee	
4	TC/LC Fee	
5	Library Fee	
6	Department Breakage	
7	Consultancy Fee	
8	Other <u>Pepona Ruddy</u>	
9		
Total		14000/-

In Words fourteen thousand only



[Signature]
 Authorised Signatory
 A/C Dept.



[Signature]
PRINCIPAL
 Sanjeevan Engg. & Tech. Institute
 Somwar Peth, Panhala - 416 201

दिनांक : 15/02/2021

Solid waste management

मा . सहसचिव सो,

यांना सादर

आपल्या महाविद्यालयातील विविध विभागाकडे असणारी स्कॅप रद्दी आपल्या पुर्व परवानगीने श्री . संजय मेनसागरे यांना पुढील प्रमाणे देत आहोत .

Sr. No	Material	Qty	Rate	Total
1	पेपर/पुस्तक रद्दी	1095kg	10.00	10950.00
			Total	10950.00

तरी वरीलप्रमाणे स्कॅप रद्दी देणेसाठी मंजूरी मिळावी हि विनंती .

मिर्च जात
मिर्च साई
Xhful

स्टोअर विभाग

AK

HE

दि. 15-02-2021

1)	26 kg	28)	16 kg
2)	17 kg	29)	17 kg
3)	24 kg	30)	19 kg
4)	20 kg	31)	15 kg
5)	22 kg	32)	16 kg
6)	18 kg	33)	22 kg
7)	21 kg	34)	21 kg
8)	17 kg	35)	30 kg
9)	22 kg	36)	21 kg
10)	20 kg	37)	17 kg
11)	21 kg	38)	23 kg
12)	16 kg	39)	21 kg
13)	18 kg	40)	16 kg
14)	17 kg	41)	20 kg
15)	30 kg	42)	21 kg
16)	18 kg	43)	14 kg
17)	28 kg	44)	21 kg
18)	25 kg	45)	16 kg
19)	16 kg	46)	18 kg
20)	26 kg	47)	21 kg
21)	12 kg	48)	13 kg
22)	20 kg	49)	27 kg
23)	20 kg	50)	30 kg
24)	16 kg	51)	31 kg
25)	15 kg	52)	24 kg
26)	14 kg	53)	25 kg
27)	15 kg	54)	25 kg
	<u>535 kg</u>		<u>550 kg</u>

संजले 4 पोती.

535 kg
+ 560 kg
1095 kg

1095 kg संजम मेनसागरे
शानी बंदी दिली.

Sanjeevan
15-02-2021



PAGE NO. :
ROLL NO. :
UTE, PANHALA

HOLY-WOOD ACADEMY'S



SANJEEVAN ENGINEERING & TECHNOLOGY INSTITUTE

Somawarpeth, Panhala.

Receipt No. **1348**

MISCELLANEOUS RECEIPT


Received the amount from

Date : **17/3/2021**

Mr. / Miss. **Shri Santay Mensagare.**

class _____ Branch : _____

Particulars	Amount (Rs.)
Admission form Fee	}
I-Card Fee	
Bonafide / Certificate Fee	
TC / LC Fee	
Library Fee	
Department Breakage	
Consultancy Fee	
Other Fee	
Paper, Raddi	10950/-
Total	Rs. 10950/-



In Word **Ten Thousand Nine Hundred Fifty only**

[Signature]
Authorized Signatory
A/c. Dept.



DTE Code : **EN6315**



॥ विद्यायां विद्या संश्लेषी ॥

NAAC Accredited

AICTE ID : 1-8019451
AISHE Code : C-11165

HOLY-WOOD ACADEMY'S

SANJEEVAN

ENGINEERING & TECHNOLOGY INSTITUTE, PANHALA

Sanjeevan Knowledge City, Somwar Peth-Injole, Panhala, Tal. Panhala, Dist. Kolhapur.
Pin- 416 201 (Maharashtra) Phone : 9146999500

○ Approved By AICTE, New Delhi ○ Recognized by Govt. of Maharashtra & DTE
○ Permanent Affiliation by Dr. Babasaheb Ambedkar Technological University, Raigad


Rain water harvesting structure and utilization in campus

Sanjeevan engineering and technology institute Panhala is practicing the green initiative by taking various activities. One of the practices is to recharge ground water by rain water harvesting. Institute divide the total campus in building as A, B, C, D. Among them building A has facilitated with rain water harvesting unit. Detail of the scheme shown in the picture below.

Rainwater harvesting pipe chamber



Rain water harvesting scheme layout



1) Bore well recharging


The water from the roof top of the A campus building is collected and feed to 2 bore wells near to building by aiming water recharging in the ground.



Photograph: Bore well water recharging.

2) Waste water recycling.

The waste water collected from the campus is taken to farm near the campus where horse feed is cultivated.




Photograph – Waste water conveyed to horse feed farm



1) Maintenance of the water bodies and distributed system-

For daily water use Sanjeevan engineering and technology institute Panhala, takes the fresh water from near river and 3 in campus bore wells. Initially the water is collected in overhead concrete tank of 1,00,000 liter from where it is distributed in campus. For drinking water institute installed 3000 lit/hr capacity reverse osmosis (RO) plant for assuring the quality water. Periodic cleaning and maintenance of the water distribution system is carried out by the maintenance department.





6 Oct 2023 1:04:48 pm
Altitude: 784.3m
Speed: 0.0 km/h
Index number: 37



DTE Code : **EN6315**



॥ विद्या ऽ विद्या ऽ विद्या ॥

NAAC Accredited

AICTE ID : 1-8019451
AISHE Code : C-11165

HOLY-WOOD ACADEMY'S

SANJEEVAN

ENGINEERING & TECHNOLOGY INSTITUTE, PANHALA

Sanjeevan Knowledge City, Somwar Peth-Injole, Panhala, Tal. Panhala, Dist. Kolhapur.
Pin- 416 201 (Maharashtra) Phone : 9146999500

○ Approved By AICTE, New Delhi ○ Recognized by Govt. of Maharashtra & DTE
○ Permanent Affiliation by Dr. Babasaheb Ambedkar Technological University, Raigad

Restricted entry of automobile






GPS Map Camera



Panhala, Maharashtra, India
R442+QQX, near Sanjeevan Engineering College,
Panhala, Maharashtra 416230, India
Lat 16.80699°
Long 74.10265°
05/06/23 12:08 PM



 GPS Map Camera




Panhala, Maharashtra, India
R442+QQX, near Sanjeevan Engineering
College, Panhala, Maharashtra 416230, India
Lat 16.806986°
Long 74.102638°
05/06/23 12:10 PM

Use of Battery powered vehicles



GPS Map Camera



Panhala, Maharashtra, India

A/P Somwarpeth, R442+XVW, near Sanjeevan Engineering College, Panhala, Maharashtra 416230, India

Lat 16.80752°

Long 74.103259°

27/02/23 02:19 PM



Holy-wood Academy, Kolhapur's

Sanjeevan Engineering & Technology Institute

Sanjeevan Knowledge City, Panhala
Tal.Panhala, Dist.Kolhapur 416201



Mr.Yogesh Dhondiram Sangar

Dept.:Mechanical Engineering

Designation:Instructor

StaffID: 531



Regn. No. MH09GB9593

MH16393811

Regd. Owner **Yogesh Dhondiram Sangar**
S/D/W of **Dhondiram Shankar Sangar**
Purpose **NEW / HPA**
Regn. Date **31/07/2022**
Colour **AVERA ROYAL BLUE**
Fuel **ELECTRIC(BOV)**
Vehicle Class **M-Cycle/Scooter - NT**
Body Type **SOLO WITH PILLION**
Manufacturer **CHANDANA CORPORATION**
Chassis No. **SLFPA44A3N1000244**
Engine No. **ZN72V3000WM9800013**
Model No. **RETROSA II**
Hypothecated To **UNION BANK OF INDIA**
Manufacturing Dt. **03/2022**
Seat Capacity **002**
Stand. Capacity **00**
Tax Paid Up To **LTT**
Regd. Validity **30/07/2037**
Address **MALE NEAR MAHADEV MANDIR HOUSE NO 0057
MAHADEV GALLI Kolhapur MH 416114**



Unladen Wt 000088
Cubic Capacit 000000
Wheel Base 001365
R.L.W 000251


RTO KOLHAPUR
Issuing Authority

Signature Of Issuing Authority

Ban of Plastic









6 Oct 2023 1:06:30 pm
Altitude: 794.1 m
Speed: 0.0 km/h
Index number: 38

Landscaping With Tree and Plants







11 Oct 2023 3:21:04 pm
Panhala
Altitude:772.4m
Speed:0.0km/h
Index number: 71




11 Oct 2023 3:31:46 pm
Panhala
Altitude:805.7m
Speed:0.0km/h
Index number: 77

1. Built environment with ramps for easy access to classrooms.





Panhala, Maharashtra, India
A/P Somwarpeth, near Sanjeevan Engineering College,
Panhala, Maharashtra 416230, India
Lat 16.806936°
Long 74.102285°
16/03/22 03:35 PM



Panhala, Maharashtra, India
R442+QXX, near Sanjeevan Engineering
College, Panhala, Maharashtra 416230, India
Lat 16.807035°
Long 74.10258°
03/07/23 03:42 PM GMT +05:30

2. Washroom





3. Sciber facility is available at the institute for the examination purpose